

AMENDMENTS TO THE CLAIMS

Proposed Amended Claims:

1. (Previously Presented) A mobile terminal, comprising:
a multiple PIM functionality module enabling the mobile terminal to synchronize with multiple remote servers and provide multiple groups of data with respect to a PIM application, wherein the multiple groups of data from the multiple remote servers are merged into and displayed as one set of data; and
transceiver circuitry for communicating with the multiple remote servers through a network.

2. (Original) The mobile terminal of Claim 1, wherein the multiple PIM functionality module includes a plurality of versions of a PIM application, each of the plurality of versions of the PIM application able to synchronize with one of the multiple remote servers.

3. (Original) The mobile terminal of Claim 2, wherein each of the plurality of versions of the PIM application includes separate synchronization data to enable synchronization with the multiple remote servers.

4-6. (Canceled)

7. (Original) The mobile terminal of Claim 1, wherein the multiple PIM functionality displays a calendar containing the multiple groups of data.

8. (Original) The mobile terminal of Claim 7, wherein the multiple groups of data may be displayed in bolded or non-bolded format depending on a relevance of the data.

9. (Original) The mobile terminal of Claim 7, wherein the multiple PIM functionality enables selectable configuration of the calendar.

10. (Original) The mobile terminal of Claim 1, wherein the multiple PIM functionality module further enables the mobile terminal to synchronize with a second mobile terminal.

11. (Previously Presented) A mobile terminal, comprising:
a multiple PIM functionality module including a plurality of versions of a PIM application, each version of the PIM application able to synchronize with one of a plurality of remote servers using synchronization data contained therein, wherein data from the multiple remote servers is merged into and displayed as one set of data; and
transceiver circuitry for communicating with the plurality of remote servers through a wireless network.

12-14. (Canceled)

15. (Original) The mobile terminal of Claim 11, wherein at least one version of the PIM application enables synchronization with a second mobile terminal.

16. (Previously Presented) A method of synchronizing a mobile terminal with a plurality of remote servers, comprising the steps of:

obtaining synchronization between a first portion of a PIM functionality and a first remote server to display data from the first remote server;

obtaining synchronization between a second portion of the PIM functionality and a second remote server to display data from the second remote server;

merging the data from the first remote server and the data from the second remote server into a single data set; and

displaying the single data set on at least one display associated with the mobile terminal.

17-18. (Canceled)

19. (Original) The method of Claim 16, wherein the step of displaying further comprises the step of displaying the data in a calendar.

20. (Previously Presented) The method of Claim 19, wherein the step of displaying further comprises the step of displaying the data in a bold format and a non-bolded format depending on a type of the data.

21. (Previously Presented) The method of Claim 16, wherein the step of displaying further comprises the step of displaying the data in the calendar in accordance with a selectable configuration of the calendar.

22. (Previously Presented) A mobile terminal comprising:

a multiple PIM functionality module enabling the mobile terminal to synchronize with multiple remote servers and display multiple groups of data from the multiple remote servers in a calendar, wherein the multiple groups of data from the multiple remote servers are merged into and displayed as one set of data; and

communication circuitry for communicating with the multiple remote servers.

23. (Original) The mobile terminal of Claim 22, wherein the multiple groups of data may be displayed in bolded or non-bolded format depending on a relevance of the data.

24. (Original) The mobile terminal of Claim 22, wherein the multiple PIM functionality enables selectable configuration of the calendar.

25. (Previously Presented) A method of synchronizing a first mobile terminal with a second mobile terminal, comprising the steps of:

obtaining synchronization between a first portion of a PIM functionality and the second mobile terminal to display data from the first mobile terminal and the second mobile terminal;

merging the data from the first mobile terminal and the second mobile terminal into a single data set; and

displaying the single data set on at least one display associated with the first mobile terminal.

26. (Previously Presented) The method of Claim 25, further including the steps of:
obtaining synchronization between a second portion of the PIM functionality and a remote server to display data from the remote server;
merging the data from the remote server with data from the first mobile terminal into the single data set; and
displaying the single data set on the at least one display associated with the first mobile terminal.

27. (Previously Presented) The method of Claim 25, further including the steps of:
uploading data from the first mobile terminal to the second mobile terminal;
merging the data from the first mobile terminal with data from the second mobile terminal into a data set; and
displaying the data set from the mobile terminal at the second mobile terminal.

28. (New) The mobile terminal of Claim 7, wherein the PIM functionality is configured to provide updates regarding the multiple groups of data and displays an updated calendar containing the multiple groups of data.

29. (New) The mobile terminal of Claim 7, wherein the mobile terminal is configured to periodically download information corresponding to the multiple groups of data stored on the calendar.